Productivity Is The Right Tool For The Job... From The Deepest Tool Box In The Laser Business.

Model	Horizontal Accuracy	Diameter Range	Application			
Laser Levels						
LL100N	1/8 in @ 100 ft (3.0 mm @ 30 m)	1,150 ft (350 m)	 Forms, footings and foundations (residential jobs) Septic tank or swimming pool installations Estimating cut and fill Decks and terraces 			
LL300N	3/32 in @ 100 ft (2.2 mm @ 30 m)	1,650 ft (500 m)	 Elevation control across small- and mid-size construction sites Excavations Basic slopes with remote control Leveling forms and footers, concrete pours 4 ft (1 m) marks 			
LL400	1/16 in @ 100 ft (1.5 mm @ 30 m)	2,600 ft (800 m)	 Checking/setting elevations, concrete forms, footings, and foundations for large commercial jobs Basic slope work such as foundations for small-to-large site prep work Excavating for forms or footers with CR600 receiver Sub-base leveling with skid steer loaders and CR600 receiver 			
LL500	1/16 in @ 100 ft (1.5 mm @ 30 m)	1,600 ft (500 m)	 Checking elevations Setting concrete forms, footings, and foundations (small-to-large jobs) Ideal for larger pads Machine control compatible 			
Grade & Universal	Lasers					
GL412/GL422	1/16 in @ 100 ft (1.5 mm @ 30 m)	2000 / 2600 ft (600 / 800 m)	 Leveling concrete forms and footers Vertical alignment and plumb such as anchor bolt and form alignment Single and dual slope grading and excavating applications Grading sports fields, tennis courts and driveways 			
GL612/GL622	1/16 in @ 100 ft (1.5 mm @ 30 m)	2600 ft (800 m)	 Steep slope road embankments and ditch banks High accuracy grade work Wireless remote monitoring with HL750 Single and dual slope grading and excavating applications 			
UL633	1/16 in @ 100 ft (1.5 mm @ 30 m)	2600 ft (800 m)	 Dual slope grading and steep slope excavating Precision grade up to 25% in X, Y and Z axis Drift free vertical alignment and plumb Pipe and drainage installations, measuring slopes in existing pipes 			
Horizontal & Verti	cal Lasers					
HV101	1/8 in @ 100 ft (3 mm @ 30 m)	Receiver: 1150 ft (350 m) Visible: 200 ft (60 m)	 Interior and exterior light commercial and residential construction Leveling and aligning of interior walls and ceilings Exterior elevation checking and interior finishing work 			
HV301/HV301G	3/32 in @ 100 ft (2.2 mm @ 30 m)	Receiver: 1600 ft (500 m) Visible: 330 ft (100 m) / 500 ft (150 m)	 Interior and exterior light to medium commercial and residential projects HV301G Green beam for extended ranges or bright light conditions Leveling and aligning walls, ceilings, and raised floors Interior finishing work 			

	Laser Levels			Grade & Universal Lasers			Horizontal & Vertical Lasers		
	LL100N	LL300N	LL400	LL500	GL412/422	GL612/622	UL633	HV101	HV301/3010
Laser type / classification	650 nm, Class 2	650 nm, Class 2	650 nm, Class 2	670 nm, Class 2	650 nm, Class 2/ 3A/3R, 3 mW/ <5 mW	650 nm, Class 2/ 3A/3R, 3 mW/ <5 mW	650 nm, Class 3A/3R, <5mW	635 nm, Class 3A/3R, <5 mW	635 nm / 532 ni Class 3A/3R, <5 mW
Self-leveling range	±5 degrees electronic servo self-leveling	±5 degrees electronic servo self-leveling	±5 degrees electronic servo self-leveling	±11 minutes wire hung compensator	±5 degrees electronic servo self-leveling	±14 degrees electronic servo self-leveling	±14 degrees electronic servo self- leveling	±5 degrees electronic servo self- leveling	±5 degrees electronic servo self-leveling
Out-of-level indication	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Power source	2 x D-cell Alkaline	4 × D-cell Alkaline standard, NiMH optional	4 x D-cell Alkaline standard, NiMH optional	4 × D-cell Alkaline standard, recharge optional	4 x D-cell NiMH standard, Alkaline backup	4 x D Cell, NiMH Pack standard, Alkaline backup	4 x D Cell, NiMH Pack standard, Alkaline backup	2 x D-cell Alkaline	4 × D-cell recharge batteries, Alkalin backup
Battery life	80 hr Alkaline	90 hr Alkaline, 45 hr NiMH	90 hr Alkaline, 55 hr NiMH	175 hr Alkaline, 100 hr NiMH	90 hr Alkaline, 28 / 55 hr NiMH	40 hr alkaline, 35 hr NiMH	40 hr alkaline, 35 hr NiMH	50 hr Alkaline	90 /45 hr Alk, 40 / 18 hr Rechargeable
Grade Capability	Manual - Single axis	Manual - Single axis	Manual - Dual Axes	No	Electronic -10 to +15% Single Axis/ Dual Axes	Electronic -25% to +25% Single Axis/ Dual Axes	Electronic -25% to +25% X, Y, Z Axis	Manual - Dual Axes	Manual - Single axis
Warranty	3 Years Limited	5 Years	5 Years	5 Years	5 Years	5 Years	5 Years	3 Years Limited	5 Years

	Laser Pointers, Line Generator, and Handheld Distance Measuring Devices								
	LP30 / LP50	5.2XL	LT20	LT56	1.5PL	QM55	QM75	QM95	
Points / Lines	3 pts / 5 pts	5 pts / 2 lines	2 lines	3 lines	4 lines / 1 pt	N/A	N/A	N/A	
Working range - Visible	100 ft (30 m)	100 ft (30 m)	100 ft (30 m)	80 ft (25 m)	100 ft (30 m)	165 ft (50 m)	230 ft (70 m)	650 ft (200 m)	
With Receiver	N/A	250 ft (75 m)	N/A	200 ft (65 m)	250 ft (75 m)	N/A	N/A	N/A	
Accuracy	±1/16 in at 17 ft 1.5 mm @ 5 m	±1/16 in at 17 ft 1.5 mm @ 5 m	±1/16 in at 17 ft 1.5 mm @ 5 m	±1/32 in @ 17 ft 1.0 mm @ 5 m	±1/32 in @ 17 ft 1.0 mm @ 5 m	±1/16 in 1.5 mm	±1/16 in 1.5 mm	±1/24 in 1.0 mm	
Warranty	3 Years Limited	3 Years Limited	3 Years Limited	3 Years Limited	1 Year	3 Years Limited	3 Years Limited	3 Years Limited	

Optical Auto Levels								
	AL20M	AL24A	AL24M	AL28M / AL28M-G	AL32A			
Magnification	20x	24×	24×	28×	32x			
Accuracy	± 2.5 mm (0.10 in)*	± 2.0 mm (0.08 in)*	± 2.0 mm (0.08 in)*	± 1.5 mm (0.06 in)*	± 1.0 mm (0.04 in)*			
Aperture	30 mm (1.2 in)	30 mm (1.2 in)	30 mm (1.2 in)	30 mm (1.2 in)	36 mm (1.4 in.)			
Shortest focus	0.6 m (1.97 ft)	0.6 m (1.97 ft)	0.6 m (1.97 ft)	0.6 m (1.97 ft)	0.6 m (1.97 ft)			
Compensator	Magnetic dampened	Air dampened	Magnetic dampened	Magnetic dampened	Air dampened			
*Note: Standard deviation	on according to DIN 18723 on one	AL28M-G available in gon						

The Broadest Line From the Strongest Name in Lasers

An Entire industry. Invented here.

There's a reason Spectra Precision is the strongest name in the industry. We invented the industry. From day one, we have pioneered every major development in laser positioning for construction. That's why you'll find over one million of our professional rotating lasers on job sites around the world... more than any other brand.

Easiest to Use

Spectra Precision instruments are engineered with state-ofthe-art components, giving you the most dependable, easiest to use, laser on the job site. Spectra Precision products are always ready to work when you are.

Best Support

Each Spectra Precision product is built with the user in mind. That is why we test and retest every laser we manufacture to assure you the most dependable, accurate laser in the world. Backed by the world's largest network of repair centers, Spectra Precision is unmatched for service, support and dependability.

YOUR LOCAL SPECTRA PRECISION LASER DEALER	

Contact Information:

TRIMBLE / SPECTRA PRECISION DIVISION 5475 Kellenburger Road Dayton, Ohio 45424 U.S.A. (888) 527-3771 (Toll Free in U.S.A.) +1-937-245-5600 Phone +1-937-245-5489 Fax www.spectralasers.com


(E C)

© 2005-2014, Trimble Navigation Limited. All rights reserved. Trimble, the Globe & Triangle logo, and Spectra Precision are trademarks of Trimble Navigation Limited registered in the United States Patent and Trademark Office and other countries. All other trademarks are the property of their respective owners.

PN 022485-175N (09/14)

EUROPE

Trimble Kaiserslautern GmbH Am Sportplatz 5 67661 Kaiserslautern GERMANY Tel +49-(0)6301-71 14 14 Fax +49-06301-32213







Construction Productivity Tools

- Toughest on Earth
- Strongest Warranty
- Easiest to Use



Laser Levels

LL100N

Complete system in one case -includes laser, HR320 receiver. rod, and tripod

Convenient storage and transportation.

Compensated self-leveling. maintains level automatically

 Maintains accuracy over the entire work area and minimizes errors

Robust design

• 3 year no downtime warranty keeps productivity high and operating costs low.

and enclosed rotor protection Superior drop and weather protection.

Fully automatic self-leveling

Rugged design with metal sunshade

Provides fast and accurate set-up.

Extremely versatile with single-axis manual slope

 Cross-axis self-leveling allows for grade matching on the job site with RC601 remote control



LL400

Fast setup and automatic self-leveling

 Minimizes operating costs and boosts productivity.

Highly rugged design and patented lighthouse seal

 Superior drop and weather protection.

Single-axis slope mode

 Provides grade matching with self-leveling cross axis.





LL500

Universal Lasers

UL633

The most versatile laser - ever Dual Grade, Horizontal, Vertical.

Interior and Pipe Laving Laser

Fully automatic +/-25% in X. Y and Z axis

Total control for any application

Several unique advanced features

fast setup

Horizontal & Vertical Lasers

HV101

Bright beam, scanning and variable speed control

Suitable for shorter range interior jobs.

Automatic self-leveling in both horizontal and vertical

- Simple controls provide one touch setups.
- Simultaneous 90-degree split beam.
- Ideal for layout of walls and framing.

Available in GC Package

Grade Lasers

performs three jobs cost

at the laser keypad

compensation

Make grade changes from

GL412/GL422

effectively

• Complete system in a case for interior and exterior applications.

HV301

LL300N

Temperature compensation

 Maintains accuracy regardless of season.

Composite material housing is rugged, lightweight and weatherproof

 Easy for contractor to carry and use in demanding jobsite conditions, less downtime for repair

Fully automatic self-leveling in both horizontal and vertical

Provides fast and accurate setup in horizontal and vertical



HV301G

Green beam provides superior beam visibilitv

- Four times more visible than red beams.
- For use over longer ranges or bright conditions.

Long range remote control

 Adjust rotation speeds or scanning zones from anywhere on the job site

Flexible power options

 Efficient Nickel-Metal Hydride rechargeable batteries are standard. Alkaline batteries can provide power backup.

Laser Receivers

HR's. HL's. CR600 & DR400

Traditional laser receivers

- Ideal for general exterior and interior applications
- Models with LED's



- Line generator receiver HR220.





X/Y axes

HL750 Laserometer


- unknown grade between two points.
- maximum stability and accuracy.

2-way full function radio remote control

• Perform all functions at the laser keypad anywhere on the job site.







warranty. Advanced

HL450, HL700, HL750,

Digital readout of elevation.


Exceptional durability and

Laserometers









PlaneLok - locks the beam to a fixed elevation or vertical alignment point for

High accuracy in any weather.

Automatic temperature and grade

anywhere on the job reducing setup times.



GL612/GL622

Ultimate Control of X/Y Axes

• Fully automatic up to +/-25% grade on

Wireless communication with the

- Grade Matching easily measure

HR150U, HR320.

Machine Receivers

500 m (1,600 ft) working diameter

• Long-range accurate laser increases productivity by reducing the need for multiple setups on large job sites.

Built-in leveling system with out-of-level shut off

 Maintains accuracy over the entire work area and minimizes errors.

High accuracy laser. 1.5 mm per 30 m (1/16 per 100 ft) with temperature compensation

 Highly stable and repeatable accuracy even under large temperature changes



LR20, LR30W, LR50W, LR60W Increase machine and

operator productivity

- Check grade from the machine cab.
- Saves labor, time, and fuel. Use on backhoes, excavators. dozers, box blades, trenchers, and skid steer attachments.

All LR receivers feature

- Versatile 360 degree reception.
- Works with all types of rotating lasers.
- Multiple accuracy selections.
- Power options and long battery life.
- Ultra-bright LED's with green on-grade. LR30W-LR50W-LR60W links wirelessly to the RD20 in-cab remote display.



- LR20 and adjustable LR30W for magnetic mount for general grading
- compact machines 3 selectable accuracies



0



- Display
- LR50W for excavating LR60W for excavating Plumb indication and unique angle compensation

Plane-Lok, Grade Match and Axis Alignment ensure accuracy and

4

DG511/DG711

Pipe Lasers

Largest self-leveling range

- Fast, easy setups.
- No rough leveling required.
- Wireless remotes
- Included standard.

Construction tough

- Stands up to the demanding underground conditions.
- Proven rugged dependability.



Optical Instruments

Built in blade tilt and

plumb indication

DET-2 / ALXX-A/M Series

and grading

Digital Electronic Theodolite

- 2 second accuracy for all construction applications.
- Dual sided LCD with large easy to read characters.
- Rechargeable and alkaline battery packs included.

Spectra Precision Auto Levels

- 20, 24, 28 or 32 power magnification.
- Air dampened and magnetic dampened models.

-



Rod clamps are standard on all receivers

Specialty receivers

 Machine or rod mounted - CR600. Universal receivers detect red, infrared and green beams - HL750U, HR150U.

The Rod-less Grade Checker – DR400 DigiRod



Portable Laser Tools

LP's. LT's. XL. PL's & HD's

LP30 and LP50 Laser Pointers

Three and five point lasers are ideal for interior wall layout. level and plumb alignment of doors, windows, cabinets and chair rails. Perfect for point transfer.

LT20 and LT56 Cross Line Layout Laser with 2 or 3 laser planes

The self-leveling tools gives you level, horizontal and vertical layout, square. Ideal for interior wall construction, ceilings, cabinets and even exterior leveling with optional receiver (LT56).



5.2XL Multi-Purpose 5 Point & Cross Line laser

 Versatile, automatic self-leveling, multipurpose tool combines a pointer and line generator in one tool.

1.5PL Precision Laser

 Built in collapsible tripod legs and fine adjustment knobs ensure setup is fast and accurate

QM55, QM75, QM95 Quick Measure Laser Distance Meter Fast and accurate







